Reed Auto Switch Band Mounting Type D-C73C/D-C80C





Connector



∧Caution

Precautions

- 1. Do not drop or bump the auto switch while handling it as it may result in the auto switch breaking.
- 2. Confirm that the connector is appropriately tightened. If tightened insufficiently, the waterproof performance will deteriorate.
- 3. For details, refer to page 1679.

Auto Switch Specifications

	PLC: Programmable Logic Controller			
D-C73C (With indicator light)				
Auto switch model	D-C73C			
Applicable load	Relay, PLC			
Load voltage	24 VDC ⁽⁵⁾			
Load current range (4)	5 to 40 mA			
Internal circuit*	e			
Contact protection circuit	None			
Internal voltage drop	2.4 V or less			
Indicator light	Red LED illuminates when turned ON.			
Standard	CE/UKCA marking			
D-C80C (Without indicator light)				
Auto switch model	D-C80C			
Applicable load	Relay, PLC			
Load voltage	24 V _{pc} or less			
Maximum load current	50 mA			
Internal circuit*	r			
Contact protection circuit	None			
Internal resistance	1 Λ or less (Including lead wire length of 3 m)			
Standard	CE/UKCA marking			

*Refer to the applicable internal circuit diagram (numbers q to u) on page 1587.

Note 1) Refer to page 1584 for reed auto switch common specifications. Note 2) Refer to page 1584 for lead wire lengths.

Note 3) Lead wire with connector may be shipped with switch.

Note 4) Under 5 mA, the strength of the indicator light is poor. In some cases, visibility of the indicator light will not be possible where the output signal is less than 2.5 mA. However, there is no problem in terms of contact output, when an output signal exceeds 1 mA or

Note 5) The auto switches can operate at 12 VDC, but consider the internal voltage drop of the auto switch described in Reed Auto Switch Precautions on page 12.

Weight

(g)

Auto switch model		D-C73C	D-C80C
Lead wire length	0.5 m (Nil)	14	14
	3 m (L)	53	53
	5 m (Z)	83	83

Leadwires with a connector indication

Part No. of Lead Wires with Connectors

(Applicable of ity for confidential type)		
Model	Lead wire length	
D-LC05	0.5 m	
D-LC30	3 m	
D-LC50	5 m	

Dimensions

(mm)





